

Declaration of performance

No 065/2017

According to Construction Products Regulation EU № 305/2011

1. Unique identification code of the product-type:

IRIS (1-4)L P

IRIS (1-4)L M

2. Type Number:

IRIS (1-4)L P

IRIS (1-4)L M

Description:

Addressable Fire Alarm Control Panel

3. Intended use or uses of the construction product, in accordance with the applicable harmonized technical specification, as foreseen by the manufacturer

Fire detection and fire alarm systems installed in and around buildings

4. Manufacturer

Teletek Electronics JSC 14A Srebarna Str. 1407 Sofia, Bulgaria

5. Trading Company

Teletek Electronics JSC 14A Srebarna Str. 1407 Sofia, Bulgaria

6. System of assessment

System 1

7. a) Notified Body

EVPU a.s. 19 Trencianska Str. 018 51 Nova Dubnica, Slovakia

Notified Body Number

1293

Performed the prescribed tests and evaluation of factory production control according to system 1 and issued the following certificate

EC Certificate Number

1293- CPR-0541

b) Notified Body

BRE Global Limited Bucknalls Lane, Garston, Watford, Hertforshire, United Kingdom WD25 9XX

Notified Body Number

0832



Performed the prescribed tests and evaluation of factory production control according to system 1 and issued the following certificate

EC Certificate Number 1139h/01

- 8. No European Technical Assessment has been issued for this product.
- 9. Declared performance

Essential characteristics	Performance	Harmonized technical specification EN 54-2:1997 + AC:1999 + A1:2006
Performance under fire conditions	Pass	4, 5, 7
Response delay (response time to fire)	Pass	7.1, 7.7, 7.11, 7.12
Operational reliability	Pass	4, 5, 6, 7, 8, 9, 10,11,12,13,14
Durability of operational reliability,	Pass	15.4
Temperature resistance		
Durability of operational reliability,	Pass	15.6, 15.7, 15.15
Vibration resistance		
Durability of operational reliability,	Pass	15.8-15.13
Electrical stability		
Durability of operational reliability:	Pass	15.5, 15.14
humidity resistance		*

Essential characteristics	Performance	Harmonized technical specification EN 54-4:1997 + AC:1999 + A1:2002 + A2:2006
Performance of power supply	Pass	4, 5, 6
Operational reliability	Pass	4, 5, 6, 7, 8
Durability of operational reliability,	Pass	9.5
Temperature resistance		
Durability of operational reliability,	Pass	9.7, 9.8, 9.15
Vibration resistance		
Durability of operational reliability,	Pass	9.9-9.13
Electrical stability		
Durability of operational reliability:	Pass	9.6, 9.14
humidity resistance		52'

10. The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.



Signed for and on behalf of the manufacturer by:

1407 Sofia,14A, Srebarna Str.13.07.2017

Yuliy Iliev

Quality Manager

OON